

NATIONAL MASTER LIST OF DRUGS
1 CARDIOVASCULAR SYSTEM
1 D Anti arrhythmic drugs
Bretylum tosylate inj 50mg/ml (10ml - Amp)
Butilide Tab.
Dofetilide vial
Mexiletine Hcl caps 50mg
Practolol inj 2mg/ml, (5ml Amp)
1 E Anti - hypertensive drugs
Prazosin Hcl tab 0.5mg
Prazosin Hcl tab 5mg
Prazosin Hcl tab 2mg
Prazosin Hcl tab or scord tab 1mg
Tolazoline Hcl inj I.V.
1 G Sympathomimetic drugs
Isoprenaline Hcl inj 200 mcg/ml, (5ml Amp)
2 GASTRO- INTESTINAL SYSTEM
2 B Antispasmodics
Camlylofin di.Hcl tab 50mg
Camlylofin di.Hcl inj 25mg/ml
2 D Antidiarrhoeal drugs
Colotest Kit rapid urease test for Campylobactor pylori specialties Inc. (limited use)
2 H Drugs affecting intestinal secretions
Aprotinin inj 20 000 Kallikrein inactivator unit /ml, (5ml Amp)
Chenodeoxycholic acid caps 250mg
Pancreatin 400mg (lipase 12500 FIP unit + protease 800 FIP unit + Amylase 11000 FIP unit) + Bromelin 50mg + oxbile 30mg tab
Pancreatic enzymes 165mg (with high lipase, amylase and trypsin content)+ oxbile 65mg + cellulase 10mg tab
Pancreatic Enzymes = amylase 2100 EU + Lipase 1200 EU + protease 80 EU + Dimethicone 20mg + Metixen Hcl 1mg + pepsin 120 I.U Bitabs
Each Capsule contains :
Diastase 55mg
Pepsin 55mg
pancreatin 55mg
Equivalent to: protease 9865 FIP units
amylase 9266 FIP units
lipase 2585 FIP units
Active constituent (s) purity : pharmaceutical grade
Pancreatin : each mg contains Not less than 25 USP units of amylase
Not less than 25 USP units of lipase
Not less than 25 USP units of protease
Protease 350 + lipase 7500 + amylase 700 FIP unit/g powder
Ursodeoxycholic acid Tab or Cap. 250mg
Ursodeoxycholic acid tab 300mg
2 I Stoma appliances
Dow corning medical adhesive B, spray adhesive
Stomahesive, paste.
2 J Others
Pentagastrin inj.

3 RESPIRATORY SYSTEM
3 A Bronchodilators
Reproterol Hcl aerosol 500mcg/ metered inhalation
Orciprenalin sulphate tab 20mg
Orciprenalin sulphate inj 0.5mg/1ml (1ml Amp)
3 D Allergic disorders
Antazoline Hcl tab 100mg
Fexofenadine Hcl film coated tab 120mg
Fexofenadine Hcl film coated tab 180mg
Mequitazine tab 5mg
3 G Antitussives,demulcents,expectorants:
Chlorpheniramine maleate 25mg + Ephedrine Hcl 100mg + glyceryl guaiacolate 1g + potassium citrate 3g+sodium benzoate 3g+liquid extract of liquorice 7.5g + codeine phosphate 75mg / 100ml syrup
3 I Others
Bismuth iodine paste (BIP)
4 CENTRAL NERVOUS SYSTEM
4 A Hypnotics and Anxiolytics
Amylobarbitone sod.cap 200mg
Flurazepam Hcl cap 15mg
Lormetazepam scored tab 1mg
Triclofos oral solution 500mg/5ml
4 B Antipsychotics
Chlorprothixene inj 50mg/ml (1ml Amp)
Chlorprothixene Hcl tab 15mg
Chlorprothixene Hcl tab 50mg
Pericyazine tab 2.5mg
Pericyazine tab 10mg
Pericyazine syr 2.5mg/5ml
Perphenazine tab 2mg
Perphenazine tab 4mg
Perphenazine syr 2mg/5ml
Promazine Hcl tab 10mg
Promazine Hcl tab 25mg
Promazine Hcl tab 50mg
Promazine Hcl susp 10mg / 5ml
Promazine Hcl inj 50mg/ml, (10ml vial)
Promazine Hcl inj 50mg/ml, (2ml vial)
4 C Antidepressant drugs
4 C a tricyclic and related antidepressant drugs
Dothiepin Hcl tab 75mg
Opipramol Hcl tab 50mg
4 C b MAOI s
Moclobemide tab 150mg
Moclobemide tab 300mg
Tranlycypromine tab 10mg (in special centers)
4G Analgesics used for mild, moderate pain
Aloxiiprine tab 600mg (buffered aspirine)
Dextropropoxyphene Napsylate 50mg (or Dextropropoxyphene Hcl 32.5mg)+ paracetamol 325mg cap
Meprobamate tab 135mg + paracetamol 325mg + caffeine 65mg tab see 10D
4 H Analgesics used for severe pain
Buprenorphine as Hcl sublingual tab 0.2mg

Buprenorphine as Hcl sublingual tab 0.4mg
Buprenorphine as Hcl sublingual tab 2mg
Buprenorphine as Hcl sublingual tab 8mg
Buprenorphine as Hcl inj 0.3mg/ml, (1ml Amp)
4 J Antiepileptics
Phenytoin sodium caps 25mg
Phenytoin sodium caps 50mg
Phenytoin susp. 30mg/5ml
Topiramate tab 25mg
Topiramate tab 50mg
Topiramate tab 100mg
4 P Others
Phenol /glycerine 5% w/w (5ml Amp)
5 DRUGS USED IN TREATMENT OF INFECTIONS
5 A Antibacterial drugs ((For Antibiotic {as syrup} ,it will be /powder for suspension/ if it is as apowder))
5 A a. Penicillins
Carbenicillin as sod. Salt inj 5g
Carfecillin sodium tab 500mg
Phenoxymethylpenicillin (Pen V) as pot. Tab 500mg
Phenoxymethylpenicillin for oral susp. Or Phenoxymethylpenicillin as potassium for oral solution 125mg/5ml
Phenoxymethylpenicillin for oral susp. Or Phenoxymethylpenicillin as potassium for oral solution 250mg/5ml
Cephalothin as sod. Salt I.V inj 1g + solvent water for injection
Cephradine cap 250mg
Cephradine cap 500mg
Cephradine susp 125mg/5ml
Cephradine as L-Arginine deep I.M. , I.V. inj over 3 - 5 min, I.V. infusion inj 500mg/vial + solvent water for injection
Cephradine as L-Arginine inj 1g vial I.V + solvent water for injection
Cephradine inj 1g vial I.M + solvent 1% lidocaine
5 A d.Tetracyclines
Tetracycline Hcl syr. 125mg/5ml
5 A g.Others
Gatifloxacin sesquihydrate = 400mg gatifloxacin base Tab
Grepafloxacin (as Hcl) tab 400 mg
Grepafloxacin (as Hcl) tab 600 mg
Moxifloxacin as Hcl tab: 400mg
Moxifloxacin as Hcl 400mg/250ml 0.8% solution of Nacl I.V infusion
Vancomycin as Hcl 250mg/5ml susp
Vancomycin as Hcl 500mg/6ml susp
5 A i.Anti leprosy drugs
Nitrofurantoin susp 25mg/5ml
5 D Antiprotozoal drugs
Emetine Hcl inj 60mg
Nifuratel oral 200mg Tab.
6 DRUGS FOR ENDOCRINE AND METABOLIC DISORDERS
6 A Drugs used in diabetes
6 A b.Oral hypoglycemic agents
Chlorpropamide tab 100mg
6 K Drugs used in hyperlipidaemia
Gemfibrozil tab 600mg

<p>7 GENITO URINARY DISORDERS 7 E Drugs used in urinary tract disorders Terodiline Hcl tab 12.5mg</p>
<p>8 BLOOD FORMATION AND COAGULATION 8 H Plasma fraction for specific uses Von Willebrand Factor & blood coagulation factor, Human i-e Human plasma derived von willebrand factor-ristocetin co-factor activity (V W F: RCO) 600 IU+ Human coagulation factor VIII activity (F VIII: C) 250 IU/ vial. Von Willebrand Factor & blood coagulation factor, Human i-e Human plasma derived von willebrand factor-ristocetin co-factor activity (V W F: RCO) 1200 IU + Human coagulation factor VIII activity (F VIII: C) 500 IU/ vial.</p>
<p>9 NUTRITION 9 A Vitamins 9 A d. Vitamin D Vitamin A 4000 U + vitamin D 4000 unit soft gelatin cap Vitamin A 9000 U + vitamin D3 3000 unit/ ml drop</p>
<p>9 E foods for special diets Aspartame artificial sweetener 36mg /sachet</p>
<p>Lofenalac powder: corn syrup solids + casein hydrolysate + corn oil + modified tapioca starch + vitamins & minerals + protein 15% + carbohydrate 59.6% + fat 18% + phenylalanine N.M.T. 0.1%, gluten & lactose free</p>
<p>Low protein powder: starch, gluten free, suger, stabilizer, emulsifier, preservative, iron, nicotinic acid + vit. B₁ Velactin powder</p>
<p>10 MUSCULOSKELETAL DISORDERS 10 A Drugs used in chronic rheumatic diseases 10 A a. NSAIDS Keto profen 100mg supp. (Limited use in case of who have chronic liver disease or impair liver function) Keto profen cap. or Tab. 50mg (Limited use in case of who have chronic liver disease or impair liver function) Keto profen (s/r) cap 100mg (Limited use in case of who have chronic liver disease or impair liver function) Keto profen (s/r) cap 200mg (Limited use in case of who have chronic liver disease or impair liver function) Tiaprofenic tab 300mg Tiaprofenic (S.A) cap.300mg</p>
<p>10 A b.ACTH and corticosteroids Colchicin tab 600mcg</p>
<p>10 D Muscle relaxants Meprobamate tab 135mg + paracetamol 325mg + caffeine 65mg tab see 4G</p>
<p>10 F Rubefaciants and other topical antirheumatics. Ketoprofen 2.5% gel</p>
<p>11 DRUGS ACTING ON THE EYE 11 A Anti infective preparations Framycetin sulphate eye drops 0.5% Framycetin sulphate eye oint 0.5% Natamycin 1% eye oint</p>
<p>11 B a.Corticosteroids preparations Hydrocortisone caproate0.63% + chloramphenicol 0.2% oily eye solution</p>
<p>11 D Treatment of glaucoma Adrenalin 1% eye drop Pilocarpine HCl 3% eye drops (with / HPM cellulose) Pilocarpine HCl 4% eye drops (with / HPM cellulose)</p>
<p>11 E Other ophthalmic preparations Chondroitin sulphate A vial (CSA) vial (for intraocular surgery)</p>

12 EAR, NOSE AND OROPHARYNX

12 A Drugs acting on the ear (also see 11 B) Chloramphenicol + steroid ear drop
14 DRUGS USED IN ANAESTHESIA
14.1 General anaesthesia
14.1 a. Pre anaesthetic medication
Naloxone Hcl inj 40mcg/2ml, (2ml Amp)
Droperidol inj 2.5mg/ml, (10ml vial)
Papaveratum 20mg +hyoscine hydrobromide 400mcg/ml, inj, (1ml Amp)
Papaveratum inj Buff 20mg/ml, (1ml Amp)
14.1 c.Inhalational anaesthetics
Ether
Sevofloran Volatile liquid anaesthesia
14.1 d.Muscle relaxants and antagonists
Cisatracurium as besylate inj. 5mg/ml (30ml-vial.)
Rocuronium Bromide inj. 10mg/ml (10ml vial)
Tubocurarine chloride inj 15mg/1.5ml, (1.5ml Amp) (The alternatives to this item are Pancuronium, Atracurium, Vecuronium)
Vecuronium Br inj 4mg/1ml (1ml Amp)
14.2 Local anaesthesia
Anhydrous lignocaine Hcl inj 2% + adrenaline 1:200000, (20ml vial)
i e anhydrous lignocaine Hcl 20mg + adrenaline bitartrate 5mcg /ml (20ml vial)
Articaine 4 %(40mg/ml) + Epinephrine 1:100000 (0.01mg/ml (10mcg/ml))/ 1.7ml-2.2ml carpule
Articaine 4 %(40mg/ml) + Epinephrine 1:200000 (0.005mg/ml (5mcg/ml))/ 1.7ml-2.2ml carpule
Bupivacaine Hcl inj 0.25%, (20ml vial)
Bupivacaine Hcl inj 0.5% (20ml – vial)
15 CHEMOTHERAPY OF CANCER AND IMMUNOSUPPRESSION
15 A Chemotherapy of cancer
15 Aa Alkylating agents
Thiotepa inj 15mg
15 A d .Vinca alkaloids and etoposide
Teniposide inj 50mg / 5ml
Vindesine sulphate inj 5mg
17 ACUTE DRUG POISONING
17 A Antidotes and drugs used in treatment of acute poisoning
Ipecacuanha syrup USP
Physostigmine salicylate (I.M., I.V.) inj 2mg/2ml, (2ml Amp)